



ALRISE ELEVATORS

PRODUCT CATALOGUE

Elevators, Controllers, Components and Mobility Solutions

Engineering Safe, Reliable and Elegant Vertical Mobility



**ISO CERTIFIED COMPANY
HYDERABAD, TELANGANA**


**www.alriseelevators.com
+91 88862 29900 | +91
96423 08332**



Engineering mobility around the building

Alrise Elevators provides complete vertical-mobility solutions for residential, commercial, healthcare, hospitality and industrial projects. Our services include design, manufacturing, supply, installation, modernization, repair and maintenance of elevators and associated components.

With a strong focus on safety, quality, engineering accuracy and dependable service, Alrise Elevators - an ISO Certified Company - delivers customized mobility solutions supported by modern control systems, experienced technical teams and responsive after-sales support.




**ONE PARTNER.
COMPLETE LIFECYCLE
SUPPORT.**

Design • Supply • Installation • Modernization •
Maintenance

**Residential | Commercial | Healthcare |
Hospitality | Industrial**

Technical strength, responsive support



Reliable systems start with disciplined engineering, quality components and service teams that stay accountable after commissioning.

01 Complete elevator solutions

05 ISO-Certified Quality Systems

09 Maintenance support

02 Customized engineering

06 Experienced technicians

10 Modernization capability

03 Safety-focused design

07 Energy-efficient systems


11 Spare-parts availability

04 Modern controller technology

08 Installation support

12 Responsive customer service

One engineering partner across the lift lifecycle



01 Passenger Elevators

02 Home Lifts

03 Capsule Elevators

04 Hospital Elevators

05 Goods Lifts

06 Hydraulic Elevators

07 Dumbwaiters

08 Escalators

09 Travelators

10 Elevator Controllers

11 COP and LOP Panels

12 Elevator Components

13 Modernization

14 Installation

15 Maintenance and Repair

Passenger Elevators



Smooth, dependable mobility for everyday traffic

Alrise passenger elevators are designed to provide smooth, safe and dependable vertical transportation for residential and commercial buildings. Customized capacities, cabin finishes and door configurations are available to meet individual project requirements.

KEY CONFIGURATION OPTIONS

- Automatic or manual doors
- Geared or gearless options
- Machine room or MRL
- VVVF operation
- Accurate floor levelling
- ARD and overload protection



SUITABLE FOR

**Apartments • Offices • Retail and
mixed-use buildings**

Configured to suit project load, travel, door and finish requirements.

Home Lifts

Compact accessibility with residential comfort

Space-conscious home-lift solutions combine quiet travel, low power demand and tailored cabin finishes for private residences.

KEY CONFIGURATION OPTIONS

- Compact shaft planning
- Quiet and smooth ride
- Manual, swing or automatic doors
- Customized interiors
- MRL configurations
- Senior-citizen accessibility

SUITABLE FOR

Villas • Duplex homes • Bungalows and penthouses

Configured to suit project load, travel, door and finish requirements.



Capsule Elevators



Panoramic architecture that makes arrival memorable

Panoramic capsule elevators pair dependable mobility with a premium glass-and-metal architectural statement for indoor or outdoor installations.

KEY CONFIGURATION OPTIONS

- Panoramic glass design
- Indoor or outdoor installation
- Stainless and gold-finish options
- Customized shapes
- Premium lighting
- Project-specific cabin detailing



SUITABLE FOR

Hotels • Malls • Offices and luxury residences

Configured to suit project load, travel, door and finish requirements.

Hospital Elevators

Purpose-built movement for patients, staff and equipment

Hospital elevators support stretcher movement, wheelchair access and clinical workflows through wide doors, smooth control and hygienic cabin finishes.


KEY CONFIGURATION OPTIONS

- Stretcher-compatible cabin
- Wide automatic doors
- Smooth acceleration and braking
- Accurate levelling
- Hygienic stainless interiors
- Emergency rescue support

SUITABLE FOR

Hospitals • Clinics • Diagnostic and care facilities

Configured to suit project load, travel, door and finish requirements.



Goods Lifts




Heavy-duty handling for demanding operations

Rugged goods lifts are configured around load, cabin size, duty cycle and site conditions for dependable material movement.

KEY CONFIGURATION OPTIONS

- Heavy-duty construction
- Custom capacities and cabin sizes
- Anti-skid flooring
- Manual or automatic doors
- Overload protection
- Smooth load handling



SUITABLE FOR

Factories • Warehouses • Retail stores and industrial sites

Configured to suit project load, travel, door and finish requirements.

Hydraulic Elevators

High load capability for efficient low-rise service

Hydraulic lift systems combine smooth lifting, compact installation and robust load handling for low-rise passenger, home and industrial applications.

KEY CONFIGURATION OPTIONS

- Hydraulic power pack
- Controlled lifting
- High load capability
- Compact machine-space planning
- Manual or automatic doors
- Service-friendly components



SUITABLE FOR

Low-rise buildings • Home lifts • Goods and industrial lifts

Configured to suit project load, travel, door and finish requirements.

Dumbwaiters



Compact service movement between floors

Compact service lifts move food, documents and small packages efficiently while minimizing shaft space and operating power.

KEY CONFIGURATION OPTIONS

- 50-250 kg configurations
- Stainless-steel cabin
- Floor or counter loading
- Manual or automatic doors
- Low power consumption
- Simple maintenance

SUITABLE FOR

Hotels • Restaurants • Hospitals and offices

Configured to suit project load, travel, door and finish requirements.

Escalators & Travelators

Continuous movement for high-footfall public spaces

Escalator and travelator systems support continuous passenger flow with project-specific width, inclination, balustrade and energy-saving options.



KEY CONFIGURATION OPTIONS

- Indoor and outdoor models
- Anti-slip steps or pallets
- Safety-sensor integration
- Energy-saving operation
- Custom balustrades and lighting
- Low-vibration movement

SUITABLE FOR

Malls • Airports • Metro stations and public infrastructure

Configured to suit project load, travel, door and finish requirements.



Control & Electrical

Advanced elevator control and electrical systems designed for smooth operation, accurate floor levelling, reliable safety integration, efficient power management and simplified maintenance.



ALRISE PRODUCT IMAGE

V3F CONTROLLER FULL SET

ALEV3F57001 | PREMIUM

TECHNICAL SPECIFICATIONS

- Microprocessor-based control
- VVVF speed regulation
- Integrated safety circuits
- Organized service-friendly wiring



ALRISE PRODUCT IMAGE

HYDRAULIC V3F CONTROLLER

ALEHVC57002 | PREMIUM

TECHNICAL SPECIFICATIONS

- Hydraulic sequence control
- Smooth start and stopping
- Protection-device integration
- Clear service access



ALRISE PRODUCT IMAGE

MRL CONTROLLER

ALEMRL57003 | PREMIUM

TECHNICAL SPECIFICATIONS

- Compact cabinet construction
- Gearless-drive compatibility
- Accurate levelling
- Built-in fault diagnostics

Premium Elevator Components | Trusted Quality | Engineered by Alrise

Control & Electrical



ALRISE PRODUCT IMAGE

V3F CONTROLLER - STANDARD

ALEADC57004 | STANDARD

TECHNICAL SPECIFICATIONS

- Microprocessor-based control
- VVVF speed regulation
- Integrated safety circuits
- Service-friendly full-set wiring



ALRISE PRODUCT IMAGE

CONTROLLER PCB

ALEPCB57005 | PREMIUM

TECHNICAL SPECIFICATIONS

- Multi-input control logic
- Relay and terminal interfaces
- Diagnostic indicators
- Service-replaceable design



ALRISE PRODUCT IMAGE

POWER SUPPLY CARD

ALEPSC57006 | PREMIUM

TECHNICAL SPECIFICATIONS

- Multiple control-voltage outputs
- Terminal-based connection
- Panel-mount construction
- Service-friendly replacement

Control & Electrical



ALRISE PRODUCT IMAGE

VFD DRIVE

ALEVFD57007 | PREMIUM

TECHNICAL SPECIFICATIONS

- Programmable speed profiles
- Energy-efficient motor control
- Protective fault monitoring
- Smooth ride performance



ALRISE PRODUCT IMAGE

THREE-PHASE CONTACTOR

ALECNT57008 | PREMIUM

TECHNICAL SPECIFICATIONS

- High-cycle switching
- DIN/panel mounting
- Auxiliary-contact compatibility
- Replaceable coil system



ALRISE PRODUCT IMAGE

AUXILIARY COIL

ALEACO57009 | PREMIUM

TECHNICAL SPECIFICATIONS

- Compact molded construction
- Defined coil terminals
- Fast replacement
- Reliable electromagnetic actuation

Safety & Rescue

Safety and rescue components designed to support emergency operation, overload protection, overspeed protection and essential elevator-safety functions.



ALRISE PRODUCT IMAGE

ARD WITH BATTERY

ALEARD57010 | PREMIUM

TECHNICAL SPECIFICATIONS

- Dual-battery support
- Automatic emergency activation
- Nearest-floor rescue
- Controller compatibility



ALRISE PRODUCT IMAGE

ARD WITH BATTERY

ALEARD56010 | STANDARD

TECHNICAL SPECIFICATIONS

- Battery-backed operation
- Automatic activation
- Compact installation
- Essential rescue functionality



ALRISE PRODUCT IMAGE

OVERLOAD SYSTEM

ALEOLS57012 | PREMIUM

TECHNICAL SPECIFICATIONS

- Multi-rope sensing
- Digital load indication
- Adjustable threshold
- Controller output interface

Safety & Rescue



ALRISE PRODUCT IMAGE

OVERLOAD SYSTEM

ALEOLS56012 | STANDARD

TECHNICAL SPECIFICATIONS

- Compact sensor assembly
- Simple calibration
- Overload relay output
- Service-friendly installation



ALRISE PRODUCT IMAGE

OSG SAFETY SWITCH

ALEOSS57014 | PREMIUM

TECHNICAL SPECIFICATIONS

- Positive mechanical actuation
- Sealed enclosure
- Safety-circuit contact
- Adjustable mounting



ALRISE PRODUCT IMAGE

PIT STOP UNIT

ALEPSU57015 | PREMIUM

TECHNICAL SPECIFICATIONS

- Mushroom emergency stop
- Protected enclosure
- Cable-gland entry
- Maintenance-friendly controls

Safety & Rescue



ALRISE PRODUCT IMAGE

OVERSPEED GOVERNOR

ALEOSG57016 | PREMIUM

TECHNICAL SPECIFICATIONS

- Grooved governor sheave
- Centrifugal tripping mechanism
- Safety-switch interface
- Adjustable installation



ALRISE PRODUCT IMAGE

BUFFER SPRING

ALEBFS57017 | PREMIUM

TECHNICAL SPECIFICATIONS

- High-strength steel spring
- Base-plate mounting
- Durable protective finish
- Low-maintenance design



ALRISE PRODUCT IMAGE

BUFFER SPRING - 2 TON

ALEBFS2T57132 | PREMIUM

TECHNICAL SPECIFICATIONS

- Nominal rated load: 2,000 kg
- Heavy-gauge helical spring-steel construction
- Reinforced base and top impact plates
- Stroke, free height and mounting geometry project matched

Safety & Rescue

EMERGENCY ALARM

ALEEAL57018 | PREMIUM

TECHNICAL SPECIFICATIONS

- High-output sound
- Low-voltage operation
- Compact mounting
- Simple two-wire connection



ALRISE PRODUCT IMAGE

EMERGENCY LIGHT

ALEEML57019 | PREMIUM

TECHNICAL SPECIFICATIONS

- Efficient LED array
- Diffused illumination
- Battery-system compatibility
- Compact mounting



ALRISE PRODUCT IMAGE

Sensors & Switches

Precision sensors and switching components for floor levelling, slowing control, door protection, position detection and elevator safety circuits.



ALRISE PRODUCT IMAGE

LEVELLING AND SLOWING SENSOR

ALELES57020 | PREMIUM

TECHNICAL SPECIFICATIONS

- Dual sensing heads
- Robust mounting brackets
- Fast response
- Repeatable floor detection



ALRISE PRODUCT IMAGE

LEVELLING AND SLOWING SENSOR

ALELES56020 | STANDARD

TECHNICAL SPECIFICATIONS

- Compact sensor body
- Simple bracket mounting
- Stable switching response
- Easy replacement



ALRISE PRODUCT IMAGE

AUTO DOOR SENSOR

ALEADS57022 | PREMIUM

TECHNICAL SPECIFICATIONS

- Multi-beam detection
- Fast obstruction response
- Slim emitter and receiver
- Automatic-door compatibility

Sensors & Switches



ALRISE PRODUCT IMAGE

AUTO DOOR SENSOR BOX

ALEASB57023 | PREMIUM

TECHNICAL SPECIFICATIONS

- Protected enclosure
- Status indication
- Detachable terminals
- Cable-gland entries



ALRISE PRODUCT IMAGE

LIMIT SWITCH

ALELSW56024 | STANDARD

TECHNICAL SPECIFICATIONS

- Roller-lever actuator
- Enclosed contacts
- Cable entry
- Reliable mechanical switching



ALRISE PRODUCT IMAGE

LIMIT SWITCH WITH BRACKET

ALELSW57024 | PREMIUM

TECHNICAL SPECIFICATIONS

- Long adjustable lever
- Robust metal enclosure
- Bracketed mounting
- Positive switching action

Sensors & Switches



ALRISE PRODUCT IMAGE

CAR GATE SWITCH

ALECGS57026 | PREMIUM

TECHNICAL SPECIFICATIONS

- Positive mechanical actuation
- Durable enclosure
- Mounting slots
- Safety-circuit connection



ALRISE PRODUCT IMAGE

CAR DOOR SWITCH

ALECDS57027 | PREMIUM

TECHNICAL SPECIFICATIONS

- Spring-loaded actuator
- Fast contact response
- Compact bracket
- Insulated leads

Motors & Drives

Drive and motion components engineered for controlled speed, smooth lifting, dependable braking, accurate feedback and efficient elevator performance.



ALRISE PRODUCT IMAGE

RCR PUMP

ALERCP57028 | PREMIUM

TECHNICAL SPECIFICATIONS

- Machined pump body
- Defined suction and pressure ports
- Direct motor coupling
- Compact footprint



ALRISE PRODUCT IMAGE

RCR MOTOR

ALERCM57029 | PREMIUM

TECHNICAL SPECIFICATIONS

- Finned motor housing
- Terminal-box connection
- Base mounting
- Pump-coupling shaft



ALRISE PRODUCT IMAGE

TRACTION THREE-PHASE MOTOR

ALETPM57030 | PREMIUM

TECHNICAL SPECIFICATIONS

- High-torque motor
- Integrated traction sheave
- Electromagnetic brake
- Robust cast construction

Premium Elevator Components | Trusted Quality | Engineered by Alrise

Motors & Drives



ALRISE PRODUCT IMAGE

MRL MOTOR

ALEM57031 | PREMIUM

TECHNICAL SPECIFICATIONS

- Permanent-magnet drive
- Compact profile
- Integrated brake
- Low-noise operation



ALRISE PRODUCT IMAGE

GEARLESS MOTOR

ALEGLM57032 | PREMIUM

TECHNICAL SPECIFICATIONS

- Gearless construction
- High-efficiency drive
- Dual braking
- Smooth torque delivery



ALRISE PRODUCT IMAGE

MOTOR ENCODER

ALEENC57033 | PREMIUM

TECHNICAL SPECIFICATIONS

- Hollow-shaft mounting
- Incremental feedback
- Flexible anti-rotation arm
- Shielded connector

Motors & Drives



ALRISE PRODUCT IMAGE

GEARBOX

ALEGBX57034 | PREMIUM

TECHNICAL SPECIFICATIONS

- Robust cast housing
- Precision reduction gearing
- Lubrication access
- Flanged output



ALRISE PRODUCT IMAGE

HYDRAULIC POWER PACK PISTON OIL SEAL

ALEHOS57035 | PREMIUM

TECHNICAL SPECIFICATIONS

- U-cup and wiper seals
- Oil-resistant materials
- Multi-ring service kit
- Maintenance replacement

Motors & Drives



ALRISE PRODUCT IMAGE

PISTON BUSH

ALEPIB57036 | PREMIUM

TECHNICAL SPECIFICATIONS

- Machined bearing surface
- Flanged profile
- Low-friction material
- Replaceable service part



ALRISE PRODUCT IMAGE

HYDRAULIC UP-AND-DOWN DIRECTION REMOTE

ALEHDR57037 | PREMIUM

TECHNICAL SPECIFICATIONS

- Up and down commands
- Emergency-stop button
- Coiled flexible lead
- Impact-resistant enclosure

Door Systems

Reliable elevator-door components designed for smooth opening, precise closing, low-noise operation, secure locking and long service life.



ALRISE PRODUCT IMAGE

AUTO DOOR DRIVE

ALEADD57038 | PREMIUM

TECHNICAL SPECIFICATIONS

- Programmable motion profile
- Terminal-based I/O
- Compact enclosure
- Fault display



ALRISE PRODUCT IMAGE

AUTO DOOR MOTOR

ALEADM57039 | PREMIUM

TECHNICAL SPECIFICATIONS

- Integrated reduction gear
- Door-belt pulley
- Mounting base
- Flexible electrical lead



ALRISE PRODUCT IMAGE

MANUAL DOOR LOCK

ALEMDL57040 | PREMIUM

TECHNICAL SPECIFICATIONS

- Locking hook assembly
- Safety contact block
- Adjustable roller
- Steel mounting plate

Premium Elevator Components | Trusted Quality | Engineered by Alrise

Door Systems



ALRISE PRODUCT IMAGE

AUTO DOOR LOCK

ALEADL57041 | PREMIUM

TECHNICAL SPECIFICATIONS

- Automatic locking action
- Electrical safety contact
- Adjustable bracket
- Durable mechanism



ALRISE PRODUCT IMAGE

AUTO DOOR TRACK ROLLER

ALEDTR57042 | PREMIUM

TECHNICAL SPECIFICATIONS

- Sealed precision bearing
- Low-wear roller material
- Eccentric adjustment
- Threaded mounting



ALRISE PRODUCT IMAGE

LANDING DOOR HEADER WITH FRAME

ALELDH57043 | PREMIUM

TECHNICAL SPECIFICATIONS

- Complete framed assembly
- Integrated hangers and rollers
- Interlock-ready layout
- Factory-aligned construction

Door Systems



ALRISE PRODUCT IMAGE

CAR DOOR HEADER

ALECD257044 | PREMIUM

TECHNICAL SPECIFICATIONS

- Two hanger plates
- Motor and belt drive
- Adjustable roller track
- Synchronized opening



ALRISE PRODUCT IMAGE

CAR DOOR HEADER

ALECD457045 | PREMIUM

TECHNICAL SPECIFICATIONS

- Four hanger plates
- Telescopic linkage
- Motorized belt drive
- Wide-opening capability



ALRISE PRODUCT IMAGE

DOOR SILL

ALEDSL57046 | PREMIUM

TECHNICAL SPECIFICATIONS

- Extruded aluminium section
- Clean guide grooves
- Wear-resistant surface
- Easy alignment

Door Systems



ALRISE PRODUCT IMAGE

DOOR BELT

ALEDBL57047 | PREMIUM

TECHNICAL SPECIFICATIONS

- Positive tooth engagement
- Flexible reinforced construction
- Low-noise operation
- Service replacement



ALRISE PRODUCT IMAGE

DOOR COUPLER

ALEDCP57048 | PREMIUM

TECHNICAL SPECIFICATIONS

- Twin-vane construction
- Adjustable linkages
- Rigid mounting plate
- Smooth engagement



ALRISE PRODUCT IMAGE

DOOR HANGER ROLLER

ALEDHR57049 | PREMIUM

TECHNICAL SPECIFICATIONS

- Twin precision bearings
- Adjustable bracket
- Durable roller tread
- Secure stud mounting

Panels & Displays

Modern cabin and landing operating products designed to provide convenient passenger control, accurate floor indication and premium visual appearance.



ALRISE PRODUCT IMAGE

COP - AUTOMATIC DOOR

ALECOA57050 | PREMIUM

TECHNICAL SPECIFICATIONS

- Touch-sensitive controls
- Digital floor display
- Door and alarm functions
- Customized Alrise branding



ALRISE PRODUCT IMAGE

MANUAL COP

ALECOM57051 | PREMIUM

TECHNICAL SPECIFICATIONS

- Mechanical illuminated buttons
- Floor display provision
- Alarm and stop controls
- Brushed-steel finish



ALRISE PRODUCT IMAGE

LOP - AUTOMATIC DOOR

ALELOA57052 | PREMIUM

TECHNICAL SPECIFICATIONS

- Digital floor indication
- Direction display
- Touch call button
- Custom Alrise branding

Panels & Displays



ALRISE PRODUCT IMAGE

LOP - MANUAL

ALELOM57053 | PREMIUM

TECHNICAL SPECIFICATIONS

- Seven-segment display
- Illuminated call button
- Slim faceplate
- Robust metal finish



ALRISE PRODUCT IMAGE

CAR AND LANDING PUSH BUTTONS

ALEPBT57054 | PREMIUM

TECHNICAL SPECIFICATIONS

- Stainless-steel bezels
- Illuminated symbols
- Multiple function icons
- Panel-mount construction



ALRISE PRODUCT IMAGE

DISPLAY CABLE

ALEDCB57055 | PREMIUM

TECHNICAL SPECIFICATIONS

- Multi-core shielded construction
- Keyed plug connectors
- Flexible routing
- Branch-connector option

Cabin & Installation

Mechanical, cabin and installation components developed for accurate guidance, dependable wiring, cabin comfort and convenient elevator servicing.



ALRISE PRODUCT IMAGE

CABIN AND COUNTER SHOE

ALECCS57056 | PREMIUM

TECHNICAL SPECIFICATIONS

- Replaceable liners
- Rigid cast brackets
- Alignment adjustment
- Heavy-duty mounting



ALRISE PRODUCT IMAGE

CAR-TOP INSPECTION BOX - TWO-IN-ONE

ALECIB57057 | PREMIUM

TECHNICAL SPECIFICATIONS

- Up and down inspection controls
- Emergency-stop button
- Selector control
- Protected cable entries



ALRISE PRODUCT IMAGE

CAR-TOP INSPECTION BOX - STANDARD

ALECIB56057 | STANDARD

TECHNICAL SPECIFICATIONS

- UP, RUN/COMMON and DOWN inspection controls
- Latching emergency-stop button
- Normal/inspection selector
- Control voltage and contact arrangement project matched

Cabin & Installation



ALRISE PRODUCT IMAGE

SIX-CORE CABLE

ALESCC57058 | PREMIUM

TECHNICAL SPECIFICATIONS

- Six color-coded cores
- Flexible outer sheath
- Copper conductors
- Service-friendly routing



ALRISE PRODUCT IMAGE

FOUR-CORE CABLE

ALEFCC57059 | PREMIUM

TECHNICAL SPECIFICATIONS

- Four insulated cores
- Durable outer sheath
- Flexible installation
- Compact diameter



ALRISE PRODUCT IMAGE

FLAT TRAVELLING CABLE - TWELVE CORE

ALEFTC57060 | PREMIUM

TECHNICAL SPECIFICATIONS

- Twelve parallel conductors
- Flexible flat profile
- Controlled bending
- Color-coded cores

Cabin & Installation



ALRISE PRODUCT IMAGE

CABIN LIGHT

ALECBL57061 | PREMIUM

TECHNICAL SPECIFICATIONS

- Diffused LED output
- Low power consumption
- Recessed mounting
- Compact driver lead



ALRISE PRODUCT IMAGE

FAN GRILL

ALEFGR57062 | PREMIUM

TECHNICAL SPECIFICATIONS

- Concentric ventilation slots
- Corrosion-resistant steel
- Flush mounting
- Easy cleaning



ALRISE PRODUCT IMAGE

CEILING FAN

ALECFN57063 | PREMIUM

TECHNICAL SPECIFICATIONS

- Compact multi-blade design
- Low-voltage motor
- Protective center guard
- Ceiling mounting

Control & Electrical

Advanced elevator control and electrical systems designed for smooth operation, accurate floor levelling, reliable safety integration, efficient power management and simplified maintenance.



ALRISE PRODUCT IMAGE

PHASE-FAILURE AND PHASE-SEQUENCE RELAY

ALEPPR57070 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Phase-loss and sequence monitoring
- Voltage and asymmetry functions by model
- DIN or panel mounting
- Volt-free controller relay output

APPLICATIONS

Elevator controller panels | Motor-power circuits | Hydraulic power-pack panels



ALRISE PRODUCT IMAGE

SMPS, CONTROL TRANSFORMER AND BRAKE RECTIFIER

ALESTB57071 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- SMPS and transformer power modules
- AC input selected to panel supply
- 24 VDC control-output options
- Rectifier matched to the brake coil

APPLICATIONS

Elevator controllers | Brake-control circuits | Panel repair and modernization



ALRISE PRODUCT IMAGE

VFD DRIVE - STANDARD

ALEVFD56007 | STANDARD

KEY SPECIFICATIONS & FEATURES

- Input, output and motor rating selected to the installation
- Programmable speed and acceleration profiles
- Protective fault monitoring and controller I/O
- Braking-resistor compatibility by drive model

APPLICATIONS

Geared traction elevators | Home and low-rise passenger lifts | Goods lifts | Controller and drive modernization

Safety & Rescue

Safety and rescue components designed to support emergency operation, overload protection, overspeed protection and essential elevator-safety functions.



ALRISE PRODUCT IMAGE

GOVERNOR ROPE TENSION PULLEY ASSEMBLY

ALEGTP57064 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Rope compatibility: 6-8 mm, model dependent
- Guide-rail or pit-floor mounting
- Spring-loaded tensioning arrangement
- Integrated safety-switch provision

APPLICATIONS

Traction elevators | Overspeed-governor systems | Modernization and replacement works



ALRISE PRODUCT IMAGE

OIL BUFFERS AND POLYURETHANE BUFFERS

ALEOPB57066 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Oil and polyurethane variants
- Rated load and speed matched selection
- Pit-mounted impact protection
- Stroke and buffer height project specific

APPLICATIONS

Passenger elevators | Goods lifts | Car and counterweight protection



ALRISE PRODUCT IMAGE

EMERGENCY INTERCOM / GSM AUTO-DIALLER

ALEEIG57069 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- GSM/4G auto-dial functionality
- Two-way voice communication
- Alarm input and call sequencing
- Battery-backed operation option

APPLICATIONS

Passenger elevators | Home lifts | Hospital and commercial elevators

Sensors & Switches

Precision sensors and switching components for floor levelling, slowing control, door protection, position detection and elevator safety circuits.



ALRISE PRODUCT IMAGE

AUTO DOOR SENSOR - 12V

ALEADS12V57131 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 12 VDC nominal supply
- Paired infrared transmitter and receiver strips
- Full-height multi-beam obstruction detection
- Slim mounting clips and flexible connection cables

APPLICATIONS

Automatic car and landing doors | Passenger and home lifts | Hospital and commercial elevators | Door-protection modernization



ALRISE PRODUCT IMAGE

LIFT SAFETY SWITCH

ALELSW57042 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Positive-opening NC contact for lift safety-circuit duty
- 1NO + 1NC or dual-NC configuration by model
- Roller-lever actuator with adjustable steel mounting bracket
- Enclosure, contact rating, cable entry and IP class project matched

APPLICATIONS

Lift shaft and car-top safety monitoring | Pit and terminal safety mechanisms | Inspection and final-limit circuits | Modernization and service replacement

Motors & Drives

Drive and motion components engineered for controlled speed, smooth lifting, dependable braking, accurate feedback and efficient elevator performance.



ALRISE PRODUCT IMAGE

BRAKE COMPONENTS

ALEBKC57067 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Brake shoes, linings, coils and springs
- Geared and gearless machine options
- Model-matched holding performance
- Service and modernization kits

APPLICATIONS

Geared traction machines | Gearless machines | Brake maintenance and modernization



ALRISE PRODUCT IMAGE

HYDRAULIC OIL

ALEHYO57111 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- ISO VG 32 standard / ISO VG 46 project option
- Anti-wear pump and valve protection
- Oxidation, corrosion and foam control
- OEM-approved seal and power-unit compatibility

APPLICATIONS

Hydraulic passenger lifts | Home, goods and hospital lifts | Power-pack maintenance | Controlled oil top-up and replacement



ALRISE PRODUCT IMAGE

MOTOR GEAR COMPONENTS

ALEMGC57112 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Matched worm shaft and bronze worm wheel
- Shafts, bearings, couplings and seals
- Ratio, tooth geometry and interfaces model matched
- Heat-treated and precision-machined materials

APPLICATIONS

Geared traction machines | Gearbox overhaul | Planned maintenance | Modernization projects

Premium Elevator Components | Trusted Quality | Engineered by Alrise

Motors & Drives



ALRISE PRODUCT IMAGE

MOTOR GEAR OIL

ALEMGO57111 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- ISO VG 320 / 460 options; final grade per machine manufacturer
- Mineral or synthetic gear-oil formulation selected to equipment duty
- Oxidation, foam, corrosion and wear-control additives
- Bronze worm-wheel and seal compatibility verified before use

APPLICATIONS

Geared traction machines | Worm-gear elevator gearboxes | Scheduled oil replacement | Gearbox overhaul and commissioning



ALRISE PRODUCT IMAGE

HYDRAULIC POWER PACK PISTON OIL SEAL WITH BUSH

ALEHOSB57136 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Matched oil seal, wiper, O-ring and guide-bush service assembly
- Cylinder series, plunger diameter and gland dimensions model matched
- Seal and guide materials selected for the approved hydraulic oil and operating duty
- Complete service-kit contents confirmed for the specified cylinder

APPLICATIONS

Hydraulic lift piston and cylinder servicing | Cylinder-head leakage repair | Guide-bush wear replacement | Planned overhaul and modernization

Door Systems

Reliable elevator-door components designed for smooth opening, precise closing, low-noise operation, secure locking and long service life.



ALRISE PRODUCT IMAGE

STAINLESS-STEEL AUTOMATIC DOOR

ALESSD57072 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Hairline, mirror or patterned SS finishes
- Automatic opening and closing
- Door-drive and interlock integration
- Centre or side-opening configuration

APPLICATIONS

Passenger elevators | Hospital elevators | Commercial and premium residential lifts



ALRISE PRODUCT IMAGE

COLLAPSIBLE LIFT DOOR

ALECLD57073 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Folding lattice construction
- Manual sliding operation
- Compact stacked profile
- Interlock-compatible installation

APPLICATIONS

Goods lifts | Industrial lifts | Manual-door passenger lifts



ALRISE PRODUCT IMAGE

TELESCOPIC AUTOMATIC DOOR

ALETAD57074 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Two- or four-panel configurations
- Space-efficient telescopic movement
- VVVF door-drive compatibility
- Car and landing-door options

APPLICATIONS

Passenger elevators | Hospital elevators | Commercial lift entrances

Premium Elevator Components | Trusted Quality | Engineered by Alrise

Door Systems



ALRISE PRODUCT IMAGE

ALUMINIUM MANUAL DOOR

ALEAMD57075 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Aluminium frame with rigid sliding panels
- Manual side-opening operation
- Anodised or powder-coated finish options
- Project-sized track, sill and interlock interface

APPLICATIONS

Home lifts | Low-rise passenger lifts | Manual car or landing entrances | Modernisation projects



ALRISE PRODUCT IMAGE

GLASS AUTOMATIC DOOR

ALEGAD57076 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Safety-glass panel construction
- Automatic opening and closing
- Door-drive and interlock integration
- Architectural frame options

APPLICATIONS

Capsule elevators | Hotels and malls | Premium residential and commercial lifts



ALRISE PRODUCT IMAGE

DOOR SILL SHOES / GIBS

ALED5G57078 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Nylon or composite guide insert
- Sill-groove guidance
- Replaceable wear component
- Car and landing-door compatibility

APPLICATIONS

Automatic car doors | Automatic landing doors | Door maintenance and modernization

Door Systems



ALRISE PRODUCT IMAGE

LANDING-DOOR CLOSER

ALELDC57079 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Spring-assisted closing action
- Landing-door compatibility
- Adjustable mounting arrangement
- Replaceable service component

APPLICATIONS

Manual landing doors | Goods-lift entrances | Door repair and modernization



ALRISE PRODUCT IMAGE

DOOR ROPE

ALEDRP57080 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Flexible steel-wire construction
- Door-motion transmission
- Project-specific length selection
- Service-replacement use

APPLICATIONS

Car-door operators | Landing-door mechanisms | Door maintenance and modernization



ALRISE PRODUCT IMAGE

IMPERFORATE LIFT GATE

ALEILG57087 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- MS/SS collapsible frame with opaque slat or bellows infill
- Manual side-bunching operation
- Top-track rollers with lower sill guide shoes
- SS or powder-coated finish; interlock-ready

APPLICATIONS

Apartment and home lifts | Low-rise passenger lifts | Goods and service lifts | Open-collapsible-gate replacement

Door Systems



ALRISE PRODUCT IMAGE

AUTO DOOR DRIVE - STANDARD

ALEADD56038 | STANDARD

KEY SPECIFICATIONS & FEATURES

- AC supply and motor rating matched to the door operator
- Programmable opening, closing and acceleration profiles
- Open, close and door-protection input interfaces
- Compact terminal-based panel or header installation

APPLICATIONS

Automatic car-door operators | Centre- and side-opening doors | Passenger and home lifts | Door-system modernization



ALRISE PRODUCT IMAGE

AUTO DOOR CAM

ALEADCM57137 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Retractable mechanical cam assembly
- Cam geometry, roller engagement and operating stroke model matched
- Mounting interface and door-opening configuration project matched
- Adjustable engagement and return mechanism

APPLICATIONS

Automatic elevator car-door operators | Landing-door lock actuation | Door-system modernization | Service replacement

Panels & Displays

Modern cabin and landing operating products designed to provide convenient passenger control, accurate floor indication and premium visual appearance.



ALRISE PRODUCT IMAGE

VOICE ANNUNCIATOR AND ARRIVAL GONG

ALEVAG57068 | PREMIUM

KEY SPECIFICATIONS & FEATURES


- 12/24 VDC controller-interface options
- Programmable floor and direction voice
- Arrival-gong output
- Cabin and landing speaker compatibility

APPLICATIONS

Passenger elevators | Hospital elevators | Commercial and residential lifts

Cabin & Installation

Mechanical, cabin and installation components developed for accurate guidance, dependable wiring, cabin comfort and convenient elevator servicing.



ALRISE PRODUCT IMAGE

GUIDE-RAIL SYSTEM


ALEGRS57065 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Cold-drawn T-profile rail sections
- Matched fishplates and fasteners
- Car and counterweight configurations
- Rail size selected by load and speed

APPLICATIONS

Passenger elevators | Goods lifts | New installations and modernization



ALRISE PRODUCT IMAGE

USHA MARTIN ELEVATOR WIRE ROPES AND RELATED ROPE PRODUCTS

ALEUWR57077 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- ELSTAR rope range: 3-20 mm
- Hoist, governor and compensation options
- NFC, mixed, IWRC and PWRC constructions
- Pre-stretched low-elongation selection

APPLICATIONS

Traction passenger elevators | Goods and hospital lifts | Governor and modernization requirements



ALRISE PRODUCT IMAGE

20-CORE TRAVELLING CABLE ASSEMBLY

ALETC2057081 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 20-core flexible cable
- Numbered copper conductors
- Hangers and clamps included
- Project-specific finished length

APPLICATIONS

Passenger elevators | Home lifts | Cabin control and signal circuits

Cabin & Installation



ALRISE PRODUCT IMAGE

24-CORE TRAVELLING CABLE ASSEMBLY

ALETC2457082 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 24-core flexible cable
- Expanded circuit capacity
- Hangers and clamps included
- Project-specific finished length

APPLICATIONS

Passenger elevators | Hospital elevators | Cabin control and communication circuits



ALRISE PRODUCT IMAGE

36-CORE TRAVELLING CABLE ASSEMBLY

ALETC3657083 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 36-core flexible cable
- Multi-circuit routing capacity
- Hangers and clamps included
- Project-specific finished length

APPLICATIONS

Feature-rich passenger elevators | Hospital and commercial lifts | Expanded cabin functions



ALRISE PRODUCT IMAGE

COUNTERWEIGHT FRAME

ALECWF57084 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 1:1 and 2:1 roping configurations
- Guide-shoe and buffer interfaces
- Secure block-retention arrangement
- Project-specific frame dimensions

APPLICATIONS

Traction passenger elevators | Goods lifts | New installations and modernization

Cabin & Installation

COUNTERWEIGHT BLOCKS

ALECWB57085 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Cast-iron, compound or steel-plate options
- Modular stacking format
- Frame-compatible profile
- Project-specific balancing selection

APPLICATIONS

Traction elevators | Passenger and goods lifts | Counterweight adjustment and replacement



ALRISE PRODUCT IMAGE

CAR SLING / PLATFORM

ALECS57086 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Welded structural-steel assembly
- Platform and tie-rod arrangement
- Guide and suspension interfaces
- Project-specific load configuration

APPLICATIONS

Passenger elevators | Goods and hospital lifts | New installations and structural modernization



ALRISE PRODUCT IMAGE

Cabin & Installation



ALRISE PRODUCT IMAGE

CABIN SHOE

ALECSH57127 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Rigid cast-steel car-frame bracket
- Replaceable low-friction polymer liner
- Guide-rail width and liner clearance model matched
- Adjustable mounting for accurate cabin alignment

APPLICATIONS

Passenger elevator cabins | Goods and hospital lift cabins | Cabin-frame guidance | Modernization and service replacement



ALRISE PRODUCT IMAGE

FLAT 12-CORE TRAVELLING CABLE WITH HOLDER

ALEFTC12H57128 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Twelve flexible stranded-copper conductors
- Flat PVC or elastomer sheath for repeated bending
- Suspension wedge holder and anchoring clamp supplied
- Length, conductor size and voltage rating project matched

APPLICATIONS

Passenger and home lifts | Goods and hospital lifts | Cabin control and signal circuits | New installation and cable replacement



ALRISE PRODUCT IMAGE

LIFT REMOTE BOX - INSPECTION PENDANT

ALELRB57135 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- UP, DOWN and hold-to-run inspection controls
- Latching emergency-stop button with positive-opening contact
- Normal/inspection selector with flexible multi-core cable
- Control voltage, pinout, connector and contact arrangement project matched

APPLICATIONS

Lift installation and commissioning | Car-top and shaft inspection work | Maintenance and fault finding | Modernization and service replacement

Escalator & Travelator

Purpose-built escalator and moving-walk components engineered for dependable passenger movement, safety monitoring, smooth step and handrail travel, and service-friendly maintenance.



ALRISE PRODUCT IMAGE

NAVAL CHAIN

ALENC57118 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Newel/reversing-chain assembly
- Roller-link construction
- Pitch and joint count matched to the machine
- Supplied by OEM sample or part reference

APPLICATIONS

Escalator handrail return systems | Newel and reversing assemblies | Service replacement



ALRISE PRODUCT IMAGE

SAFETY SWITCH

ALESSW57042 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 1NO + 1NC contact option
- Positive-opening NC safety-circuit duty
- Roller-lever or manual-reset variants
- Electrical and IP rating model matched

APPLICATIONS

Comb and step-band protection | Chain-tension monitoring | Inspection-cover interlocks



ALRISE PRODUCT IMAGE

MOTOR SENSOR

ALEMS57209 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 5-24 VDC model option
- Nominal 2 mm sensing-distance option
- Threaded metal body with locknuts
- Prewired lead for controller input

APPLICATIONS

Drive-motor rotation sensing | Sprocket-speed monitoring | Overspeed and underspeed logic

Premium Elevator Components | Trusted Quality | Engineered by Alrise

Escalator & Travelator



ALRISE PRODUCT IMAGE

PRESSURE ROLLER

ALEPR57086 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 70 mm OD x 50 mm width model option
- 6204 sealed-bearing option
- Low-friction moulded roller body
- Dimensions and bearing selected by sample

APPLICATIONS

Escalator handrail drives | Moving-walk handrail drives | Handrail traction maintenance



ALRISE PRODUCT IMAGE

STEP SENSOR

ALESPS57157 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 12-24 VDC system option
- PNP/NPN output selected to controller
- Prewired connector
- Adjustable bracket mounting

APPLICATIONS

Missing-step detection | Missing-pallet detection | Top and bottom return monitoring



ALRISE PRODUCT IMAGE

HANDRAIL BELT

ALETHB57311 | PREMIUM


KEY SPECIFICATIONS & FEATURES

- C, V and project-specific profiles
- SBR or TPU cover options
- Factory or site splice preparation
- Dimensions and tensile rating model matched

APPLICATIONS

Passenger escalators | Moving walks and travelators | Handrail replacement

Escalator & Travelator



ALRISE PRODUCT IMAGE

TRAVELATOR V3F CONTROLLER FULL SET

ALETR57064 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- VVVF variable-speed control
- Main, entry and drive enclosures
- Safety I/O and CAN communication
- Standby and energy-saving modes

APPLICATIONS

New moving-walk installations | Travelator modernization | Standby-speed operation



ALRISE PRODUCT IMAGE

YELLOW TRAVELATOR DEMARCATION STRIP

ALETD57248 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Wear-resistant ABS or engineered polymer
- Ribbed or cleated profile
- Left, right and middle variants
- Dimensions matched to pallet reference

APPLICATIONS

Moving-walk pallets | Travelator step-edge visibility | Passenger standing guidance



ALRISE PRODUCT IMAGE

ESCALATOR V3F CONTROLLER

ALEEVC57096 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Three-phase supply and motor rating project selected
- VVVF motor-speed control
- Integrated safety inputs and diagnostics
- Standby and energy-saving mode

APPLICATIONS

New escalator controls | Escalator modernization | Automatic standby-speed operation

Escalator & Travelator



ALRISE PRODUCT IMAGE

COMB PLATE

ALEECP57097 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Aluminium-alloy or engineering-polymer options
- Tooth count and pitch model specific
- Project-matched mounting centres
- Yellow or metallic finish

APPLICATIONS

Upper and lower escalator landings | Moving-walk landing transitions | Comb-impact safety zones



ALRISE PRODUCT IMAGE

ESCALATOR STEP

ALEEST57098 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Die-cast aluminium-alloy construction
- 600, 800 and 1000 mm nominal widths
- 30-degree or 35-degree system variants
- Non-slip grooves and optional yellow demarcation

APPLICATIONS

Passenger escalator step bands | Step replacement | Modernization projects



ALRISE PRODUCT IMAGE

STEP CHAIN ROLLER

ALESCR57099 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- PU or nylon running surface
- Sealed precision bearing
- Typical 75-80 mm diameter options
- Width, bore and bearing model matched

APPLICATIONS

Escalator step chains | Step-band guidance | Noise and vibration reduction

Escalator & Travelator



ALRISE PRODUCT IMAGE

GUIDE ROLLER

ALEEGR57100 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- PU or nylon running surface
- Bearing or bush construction
- Diameter, width and bore model specific
- Low-noise anti-deviation guidance

APPLICATIONS

Handrail curves and guide rails | Approved lateral step guidance | Service replacement



ALRISE PRODUCT IMAGE

HANDRAIL RUBBER BOOT

ALEHRB57101 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Moulded rubber or engineering polymer
- Smooth handrail passage
- Left and right variants
- Mounting geometry model specific

APPLICATIONS

Upper and lower handrail entries | Finger and foreign-object guarding | Handrail guidance



ALRISE PRODUCT IMAGE

STEP SAFETY SWITCH

ALESTS57102 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 1NO + 1NC contact option
- Positive safety-circuit switching
- Roller or flexible actuator variants
- Rugged enclosure and cable entry

APPLICATIONS

Step-sag detection | Step-upthrust protection | Pre-comb safety monitoring

Escalator & Travelator



ALRISE PRODUCT IMAGE

PLATFORM SAFETY SWITCH

ALEPSS57103 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Monitored contact set
- Mechanical plunger or roller actuator
- Adjustable mounting bracket
- Rugged service-area enclosure

APPLICATIONS

Upper landing floor plates | Lower landing floor plates | Maintenance-cover interlocks



ALRISE PRODUCT IMAGE

HANDRAIL SWITCH

ALEHRS57104 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 1NO + 1NC contact option
- Roller-lever actuation
- Safety-circuit-compatible rating
- Mounting selected to the approved mechanism

APPLICATIONS

Handrail inlet obstruction detection | Handrail slack or break monitoring | Handrail lift detection



ALRISE PRODUCT IMAGE

SAFETY ROD WITH SPRING

ALESRS57105 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Corrosion-resistant rod and compression spring
- Adjustable preload and trip travel
- Locknut retention
- Calibration matched to approved mechanism

APPLICATIONS

Comb-impact safety devices | Landing-plate displacement mechanisms | Escalator safety modernization

Escalator & Travelator



ALRISE PRODUCT IMAGE

PLATFORM SENSOR

ALEPFS57106 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 24 VDC supply option
- PNP/NPN push-pull output
- Up to 2000 mm detection-field length
- IP65 and adjustable field configuration

APPLICATIONS

Automatic escalator start | Moving-walk standby control | Passenger-approach detection



ALRISE PRODUCT IMAGE

INDICATOR ARROW

ALEIAR57107 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 24 VDC system option
- Green direction and red no-entry indication
- High-visibility LED display
- Mounting dimensions model specific

APPLICATIONS

Escalator newels | Moving-walk landings | Direction and status indication



ALRISE PRODUCT IMAGE

UP & DOWN DIRECTION REMOTE

ALEUDR57108 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Momentary hold-to-run controls
- Latching emergency-stop button
- Inspection-mode interlock
- Prewired cable and connector option

APPLICATIONS

Escalator commissioning | Inspection and maintenance | Controlled service movement

Escalator & Travelator

CONTACTOR

ALEECT57109 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Three-pole AC-3 duty
- 24 VDC coil option
- DIN-rail mounting
- Auxiliary-contact and interlock provision

APPLICATIONS

Escalator drive-motor circuits | Brake-control circuits | Travelator auxiliary power switching



ALRISE PRODUCT IMAGE

TRAVELATOR PALLET

ALETPA57110 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Die-cast aluminium-alloy construction
- Fine-pitch longitudinal anti-slip cleats
- Equipment-matched width and pallet-chain interface
- Optional yellow side-edge demarcation

APPLICATIONS

Airports and metro stations | Malls and supermarkets | Horizontal and inclined moving walks | Service replacement



ALRISE PRODUCT IMAGE

Escalator & Travelator

ESCALATOR STEP CHAIN

ALEESC57113 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- High-tensile heat-treated steel links
- Hardened and ground pins with precision bushes and rollers
- Matched left/right chains with step-axle interfaces
- Pitch, roller size, breaking load and loop length model matched

APPLICATIONS

Passenger escalators | Step-band drive and guidance | Heavy-duty and public-transport units | Modernization and service replacement



ALRISE PRODUCT IMAGE

TRAVELATOR CHAIN

ALETC57114 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Precision-matched left/right high-tensile steel chains
- Hardened and ground pins with precision rollers
- Pallet attachment or axle interfaces model matched
- Pitch, sprocket geometry, breaking load and loop length model matched

APPLICATIONS

Horizontal and inclined moving walks | Pallet-band drive and guidance | Airport, metro and retail installations | Modernization and service replacement



ALRISE PRODUCT IMAGE

Escalator & Travelator



ALRISE PRODUCT IMAGE

MAIN DRIVE CHAIN / DUPLEX DRIVE CHAIN

ALEMDC57115 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- High-tensile heat-treated duplex roller-chain construction
- Hardened pins, bushes and precision rollers
- Pitch, strand count and sprocket geometry model matched
- Breaking load and finished chain length selected to equipment duty

APPLICATIONS

Escalator main-drive transmission | Moving-walk chain-drive systems | Drive-station modernization | Planned service replacement



ALRISE PRODUCT IMAGE

MAIN DRIVE SHAFT & SPROCKET ASSEMBLY

ALEMDS57116 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Machined alloy-steel drive shaft
- Matched keyed or splined sprocket hubs
- Bearing seats and mounting interfaces model matched
- Sprocket pitch, tooth count and shaft geometry equipment matched

APPLICATIONS

Escalator upper drive stations | Moving-walk drive stations | Main-shaft replacement | Modernization projects



ALRISE PRODUCT IMAGE

ESCALATOR/TRAVELATOR GEARED DRIVE UNIT

ALEGDU57117 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Three-phase motor with reduction gearbox
- Helical, worm or project-approved gear arrangement
- Output shaft, coupling and mounting interfaces model matched
- Power, ratio, speed and duty selected to project requirements

APPLICATIONS

Passenger escalators | Horizontal and inclined moving walks | Drive-machine modernization | Heavy-duty transport installations

Escalator & Travelator



ALRISE PRODUCT IMAGE

ESCALATOR SERVICE & AUXILIARY BRAKE ASSEMBLY

ALEEAB57118 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Spring-applied electromagnetic service-brake arrangement
- Auxiliary or band-brake option for approved duty
- Brake coil, lining, release and wear-monitor provisions
- Braking torque, voltage and mounting geometry model matched

APPLICATIONS

Controlled escalator stopping and holding | Moving-walk drive systems | Anti-reversal and auxiliary braking | Modernization and brake overhaul



ALRISE PRODUCT IMAGE

STEP/PALLET CHAIN TENSIONING ASSEMBLY

ALESPT57119 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Paired sliding carriage and tension-sprocket arrangement
- Adjustable screw, spring or approved tensioning mechanism
- Guide, bearing and safety-contact interfaces
- Chain pitch, adjustment travel and mounting geometry model matched

APPLICATIONS

Escalator lower return stations | Moving-walk tension stations | Step and pallet chain tension control | Modernization and replacement



ALRISE PRODUCT IMAGE

HANDRAIL DRIVE CHAIN & SPROCKET SET

ALEHDC57120 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Precision roller chain with matched drive and driven sprockets
- Hardened sprocket teeth, pins and bushes
- Tension-adjustment and guarding interfaces
- Pitch, ratio, bore and finished chain length model matched

APPLICATIONS

Escalator handrail drives | Travelator handrail drives | Handrail-speed synchronization | Service and modernization replacement

Escalator & Travelator



ALRISE PRODUCT IMAGE

AUTOMATIC CHAIN LUBRICATION SYSTEM

ALEACL57121 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Electric pump and service reservoir
- Metering distributor with brush or drip-line outlets
- Timer-controlled or machine-linked operation
- Oil grade, outlet count and delivery rate project matched

APPLICATIONS

Main-drive chain lubrication | Step and pallet chain lubrication | Handrail-drive chain lubrication | Maintenance modernization



ALRISE PRODUCT IMAGE

STEP/PALLET TRACK & COUNTER-TRACK ASSEMBLY

ALETCT57122 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Precision formed or rolled steel track sections
- Running, return and counter-track profiles
- Splice plates, brackets and alignment provisions
- Radius, gauge and mounting geometry equipment matched

APPLICATIONS

Escalator step-band guidance | Moving-walk pallet-band guidance | Track-system modernization | Damaged-track replacement



ALRISE PRODUCT IMAGE

TRAVELATOR PALLET ROLLER

ALETPR57123 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Polyurethane or engineering-nylon running surface
- Sealed precision bearing
- Load and guide-roller variants
- Diameter, width, bore and hardness model matched

APPLICATIONS

Horizontal moving walks | Inclined travelators | Pallet-band support and guidance | Noise and wear reduction

Escalator & Travelator



ALRISE PRODUCT IMAGE

LANDING EMERGENCY-STOP STATION

ALEESS57124 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Red latching mushroom-head pushbutton
- Positive-opening monitored safety contacts
- Reset, key-control or protective-collar options
- Enclosure, electrical rating and mounting model matched

APPLICATIONS

Upper and lower escalator landings | Moving-walk entry and exit points | Emergency-stop safety circuits | Modernization and replacement



ALRISE PRODUCT IMAGE

LANDING FLOOR/ACCESS PLATE

ALELAP57125 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Anti-slip aluminium or stainless-steel surface
- Flush or recessed support-frame arrangement
- Lifting provision and safety-switch interface
- Dimensions, load duty and finish project matched

APPLICATIONS

Escalator upper and lower landings | Moving-walk service access | Drive and tension-station covers | Modernization replacement



ALRISE PRODUCT IMAGE

COMB AND STEP-GAP LIGHTING KIT

ALECSL57126 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- LED modules or strips with diffusers and mounting brackets
- Low-voltage driver and prewired connector options
- Landing-zone and step-gap installation variants
- Voltage, ingress protection and finished length project matched

APPLICATIONS

Escalator comb illumination | Step-gap visibility lighting | Moving-walk pallet-gap illumination | Safety and aesthetic modernization

Door Systems

Reliable elevator-door components designed for smooth opening, precise closing, low-noise operation, secure locking and long service life.



ALRISE PRODUCT IMAGE

STAINLESS-STEEL TELESCOPIC CAR DOOR PANEL

ALETCP57139 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Hairline stainless-steel facing
- Telescopic panel configuration project matched
- Panel dimensions matched to the approved clear opening
- Compatible hanger, sill and door-operator interfaces confirmed by project

APPLICATIONS

Passenger and goods elevator car doors | Telescopic door modernization | Replacement car-door panels



ALRISE PRODUCT IMAGE

STAINLESS-STEEL CENTRE-OPENING CAR DOOR PANEL - FOUR PANEL

ALECDP457140 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Four coordinated stainless-steel door leaves
- Symmetrical centre-opening movement
- Panel size and thickness project matched
- Compatible four-panel header, sill and coupler interfaces confirmed by project

APPLICATIONS

Wide-opening passenger elevators | Goods and service lifts | Four-panel door replacement and modernization



ALRISE PRODUCT IMAGE

STAINLESS-STEEL CENTRE-OPENING LANDING AUTOMATIC DOOR - FOUR PANEL

ALELAD457142 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Four coordinated hairline stainless-steel landing-door leaves
- Centre opening with two panels travelling to each side
- Complete landing frame, sill and overhead header set
- Door-drive and interlock interfaces project matched

APPLICATIONS

Passenger and goods lift landings | Wide-opening commercial entrances | Four-panel landing-door replacement and modernization

Premium Elevator Components | Trusted Quality | Engineered by Alrise

Cabin & Installation

Mechanical, cabin and installation components developed for accurate guidance, dependable wiring, cabin comfort and convenient elevator servicing.



ALRISE PRODUCT IMAGE

STAINLESS-STEEL LIFT CABIN

ALESCB57141 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- 304-grade hairline stainless-steel wall panels
- Cabin handrail and chequered-plate flooring options
- False-ceiling and LED-lighting provision
- Width, depth, height and car-frame interfaces project matched

APPLICATIONS

Passenger elevators | Goods lifts | Cabin replacement and modernization

Door Systems

Reliable elevator-door components designed for smooth opening, precise closing, low-noise operation, secure locking and long service life.



ALRISE PRODUCT IMAGE

CAR AUTO DOOR FULL SET

ALECAD57143 | PREMIUM

KEY SPECIFICATIONS & FEATURES

- Stainless-steel two-panel centre opening
- Car-door operator, header and door panels
- Car sill, hangers and coupling assembly
- Opening size and control interface project matched

APPLICATIONS

Passenger and goods elevator car doors | Car-door replacement and modernization

Modernization for safer, smoother performance



A focused upgrade can renew the systems passengers feel and the safety functions technicians depend on.

- Controller and VFD replacement
- Door-system modernization
- COP and LOP replacement
- Cabin-interior renovation
- Wiring and safety-system upgrades
- ARD installation
- Motor and drive replacement
- Automatic-door conversion
- Levelling-system improvement
- Energy-efficiency improvement

Outcome: safer operation, improved ride quality, easier servicing and a more current passenger experience.

Project delivery and dependable maintenance

NEW INSTALLATION

From site coordination and installation through testing, commissioning and handover.

- New elevator installation
- Testing and commissioning
- Preventive maintenance
- Breakdown and emergency support
- Annual Maintenance Contracts

LIFECYCLE SUPPORT

Maintenance programs keep safety systems, doors, drives and controls working as intended.

- Comprehensive Maintenance Contracts
- Safety inspections
- Spare-parts replacement
- Controller and door troubleshooting
- Motor and drive repair


AMC | CAMC | BREAKDOWN SUPPORT

Planned maintenance, responsive troubleshooting and genuine replacement components - coordinated by one technical team.

Engineered controls, verified installation discipline

Safety is built through the complete chain - selected components, correct installation, tested circuits and scheduled maintenance.

- Quality-controlled components
- Proper installation methods
- Safety-circuit testing
- Emergency Rescue Devices
- Overload and overspeed protection
- Door-protection sensors
- Accurate floor levelling
- Preventive maintenance
- Organized controller wiring
- Reliable electrical protection



ISO CERTIFIED

Alrise Elevators is an ISO Certified Company, committed to international quality standards across engineering, manufacturing, installation and service.

Selected Clients and Projects

The marks below are reproduced only from the client page in Alrise Elevators' supplied company profile.





COMPLETE ELEVATOR SYSTEMS, COMPONENTS, INSTALLATION, MODERNIZATION AND MAINTENANCE

OFFICE

8-3-952/8, 3rd Floor, Srinagar Colony Road,
Punjagutta, Hyderabad, Telangana

TELEPHONE

+91 88862 29900 | +91 96423 08332

CORPORATE EMAIL

office@alriseelevators.com

GENERAL ENQUIRIES

alriseelevators@gmail.com

WEBSITE

www.alriseelevators.com


WHATSAPP

+91 96423 08332



WEBSITE

Safe Engineering.
Smooth Mobility.
Reliable Support.



WHATSAPP



SAFE ENGINEERING. SMOOTH MOBILITY. RELIABLE SUPPORT.

Let us plan the right elevator, controller or component solution
for your project.

www.alriseelevators.com

+91 88862 29900 | +91 96423 08332
CORPORATE: office@alriseelevators.com
ENQUIRIES: alriseelevator@gmail.com
Hyderabad, Telangana